


# Calisthenics.01 – Product Specification



## Calisthenics.01


Calisthenics.01 combines climbing and calisthenics in one, and looks good into the bargain! Whether pull-ups or hand-over-hand moves, fitness fans will be spoiled for choice when using this piece of apparatus, which is more than 9 m long. Calisthenics.01 is just one of many possible variants: the color, shape and functionality can be tailored to your specific requirements so as to fit in with your surroundings, whether urban or natural.

### Calisthenics.01 – at a glance.

Product Family:	<b>HodgePodge</b>	Number of Foundations:	<b>Upon request</b>
Item Number:	<b>90.190.553</b>	Concrete Volume C20/C25:	<b>Upon request</b>
Children's Age:	<b>5+</b>	Number of skilled installers required:	<b>Upon request</b>
Fall Height (DIN EN 1176):	<b>2,32 m (7'-8")</b>	Installation Time without foundation:	<b>Upon request</b>
Length x Width x Height:	<b>3,2 m x 9,8 m x 2,4 m (10'-5" x 31'-11" x 7'-10")</b>	Dimensions of largest part:	<b>Upon request</b>
Protective Surfacing Area (DIN EN 1176):	<b>7,2 m x 12,8 m</b>	Weight of heaviest part:	<b>Upon request</b>
Protective Surfacing Area (ASTM 1487):	<b>6,9 m x 13,4 m (22'-5" x 43'-11")</b>	Transportvolumen:	<b>Upon request</b>
Minimum space required DIN EN 1176:	<b>67,6 m<sup>2</sup></b>	Shipping Volume:	<b>Upon request</b>
Minimum space required ASTM 1487:	<b>68,4 m<sup>2</sup> (736 ft<sup>2</sup>)</b>	Spare part guarantee:	<b>Lifelong</b>



# Calisthenics.01 – Product Specification



## Technical Data.

The following text can also be used for tenders.

### Arch-structure:

Steel pipes  $\varnothing$  133 mm (5 1/4"), wall thickness 10mm (3/8"); anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process

### Climbing rope:

All ropes  $\varnothing$  20 mm (13/16"); vertical ropes with durable ebonite cylinders; distance between cylinders approx. 300 mm (11 13/16"); ebonite cylinders are fixed to the rope with aluminum ferrules; suspended from horizontal rope connected to steel posts

### Hand-over-hand-ladder:

6 sash bars, stainless steel tube  $\varnothing$  40 mm (1 9/16"), wall thickness 5 mm (3/16")



  
**Berliner**  
Berliner Seilfabrik GmbH & Co.  
Lengeder Straße 2/4  
13407 Berlin

Tel. +49.(0)30.41 47 24-0  
Fax +49.(0)30.41 47 24-33

info@berliner-seilfabrik.com  
www.berliner-seilfabrik.com