



Product Specification Sheet

Roplay VARIO M

Product name	Roplay VARIO M
Item number	7030013500000
Recommended age group	5+
Falling Height (EN 1176)	2,1 m (6'-11")
Length, width, height	3,9 x 3,8 x 3,2 m (12'-10" x 12'-7" x 10'-6")
Protective Surfacing Area required (EN 1176)	7,7 x 7,7 m (25'-3" x 25'-3")
Minimum space required (EN 1176)	46,6 m ² (502 ft ²)
Ground anchor plates 700 mm below level	5
Number of skilled installers needed	2
Installation time without foundation	4 hours
Dimensions of largest part	Ø 0,05 x 2,0 m (Ø 1 7/8" x 6'-7")
Weight for heaviest part	90 kg (198 lbs)
Freight volume	1,9 m ³ (67 ft ³)
Gross weight	340 kg (750 lbs)
Spare part guarantee	Lifelong
Certificate No. EN 1176	Z1A 14 03 10256 204



Product description:

Roplay VARIO M, icosahedron space framework, Height 3,2 m (10'-6") with a single Bucky-Ball net structure.

All anchor points are equipped with a central single-point tensioning system warranting that no fastening element or rope eyelet is accessible to users. The 25 steel members Ø 48,3 x 1466 mm (Ø 1 7/8" x 4'-10") in the framework are corrosion resistant and powder-coated environmentally sound.

The 11 aluminum-cast nodes in the framework are also coated in the zinc-powder-process.

The spatial netting is made of polyester-coated steel cables (U-Rope®) with a diameter of 16 mm (5/8"). Contrary to cable coatings out of polypropylene the polyester is more abrasion-resistant and color fast to UV-light. The steel wires are drawn galvanized.

As cross connectors in the spatial netting aluminium-cloverleaf rings are being used that have been proven in 20 years of employment.