Access Whirl – Product Specification

URBAN DESIGN







Access Whirl

The Access Whirl is unique in the market. The product is easily accessible and children have great support and grip because of the net structure. The shape provides a safe cocoon so that children are always safe when the product spins around.

Access Whirl - at a glance.

Product Family:
Item Number:
Children's Age:
Fall Height (DIN EN 1176):
Length x Width x Height:
Protective Surfacing Area (DIN EN 1176):
Protective Surfacing Area (ASTM 1487):

Minimum space required DIN EN 1176: Minimum space required ASTM 1487:

Playpoints CA.02.0003 2+ 1.0 m (3'-4") 1.3 m x 1.0 m x 1.0

1.3 m x 1.0 m x 1.0 m (4'-4" x 3'-4" x 3'-4") 5.3 m x 5.3 m

m x m ('-" x '-") 22.7 m² m² (ft²) Number of Foundations: Concrete Volume C20/C25: Number of skilled installers required: Installation Time without foundation: Dimensions of largest part:

Weight of the heaviest part: Shipping Volume: Shipping Weight: Spare part guarantee: 1 pc. 0.2 m³ (7.1 ft³) 2 2 hours 1.3 m x 1.0 m x 1.0 m (4'-4" x 3'-4" x 3'-4")

28 kg (62 lbs) 2.2 m³ (77.7 ft³) 230 kg (507 lbs) Lifelong

Page 1

Technical Data.

The following text can also be used for tenders.

Tube framework:

Steel tubes with anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process

Ropes:

U-Rope®-round strand ropes with galvanized and covered wires; external strands with non-abrasive UV-resistant Polyester-yarn (no Polypropylene): Ø 16 mm (5/8")

Connections:

Rope crossing points localized with durable, drop forged aluminum-ball-knots, net mounted with aluminum tube clamps on the steel tubes



Berliner Seilfabrik GmbH & Co. Lengeder Straße 2/4 D-13407 Berlin

Tel. +49.(0)30.41 47 24-0 Fax +49.(0)30.41 47 24-33



info@berliner-seilfabrik.com www.berliner-seilfabrik.com